

SAFETY DATA SHEET

According to US Regulation 29 CFR 1910.1200 (HazCom 2012)

1. Identification

Product identifier: Buffered Oxide Etch, 5:1

Other means of identification

Product No.: 5192

Recommended restrictions

Recommended use: For Laboratory, Research or Manufacturing Use.

Restrictions on use: Not determined.

Details of the supplier of the safety data sheet

Company Name: Avantor Performance Materials, LLC
Address: 100 Matsonford Rd, Suite 200
Radnor, PA 19087

Telephone: Customer Service: 855-282-6867

Contact Person: Product Information Compliance
E-mail: info@avantormaterials.com

Emergency telephone number:

CHEMTREC: 1-800-424-9300 within US and Canada (24 hrs/day, 7 days/week)

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Corrosive to metal Category 1

Health Hazards

Acute toxicity (Oral) Category 2
Acute toxicity (Dermal) Category 2
Acute toxicity (Inhalation - vapor) Category 2
Skin Corrosion/Irritation Category 1A
Serious Eye Damage/Eye Irritation Category 1
Specific Target Organ Toxicity - Single Exposure Category 1¹
Specific Target Organ Toxicity - Repeated Exposure Category 1²

Target Organs

1. Blood, Cardiovascular system, Respiratory tract irritation.
2. Endocrine system, Bone, Teeth

Unknown toxicity - Health

Acute toxicity, inhalation, vapor 39 %
Acute toxicity, inhalation, dust 39 %
or mist

Label Elements

Hazard Symbol:



Signal Word:

Danger

Hazard Statement:

May be corrosive to metals.
Fatal if swallowed.
Fatal in contact with skin.
Fatal if inhaled.
Causes severe skin burns and eye damage.
Causes damage to organs.
Causes damage to organs through prolonged or repeated exposure.

Precautionary Statements

Prevention:

Keep only in original packaging. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. [In case of inadequate ventilation] wear respiratory protection.

Response:

IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse mouth. IF exposed: Call a POISON CENTER or doctor/physician. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Take off immediately all contaminated clothing and wash it before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage:

Store in a corrosion-resistant container with a resistant inner liner. Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal:

Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC):

None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*
Hydrogen fluoride	7664-39-3	8.20 - 8.50%
Ammonium fluoride	12125-01-8	32.00 - 34.00%

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

General information:	Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in attendance.
Ingestion:	Call a physician or poison control center immediately. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Inhalation:	Move to fresh air. Call a physician or poison control center immediately. If breathing is difficult, give oxygen. If breathing stops, provide artificial respiration.
Skin Contact:	Immediately remove contaminated clothing and shoes and wash skin with soap and plenty of water. Call a physician or poison control center immediately. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes.
Eye contact:	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Call a physician or poison control center immediately. In case of irritation from airborne exposure, move to fresh air.

Most important symptoms/effects, acute and delayed

Symptoms:	Fatal if swallowed. Fatal in contact with skin. Fatal if inhaled. Causes severe skin and eye burns.
Hazards:	None known.

Indication of immediate medical attention and special treatment needed

Treatment:	Treat symptomatically. Symptoms may be delayed.
-------------------	---

5. Fire-fighting measures

General Fire Hazards:	Fire may produce irritating, corrosive and/or toxic gases.
------------------------------	--

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media:	Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media:	None known.

Specific hazards arising from the chemical:	Product is acidic. Fire may produce irritating, corrosive and/or toxic gases.
--	---

Special protective equipment and precautions for firefighters

Special fire fighting procedures:	Move containers from fire area if you can do so without risk. Use water spray to keep fire-exposed containers cool. Cool containers exposed to flames with water until well after the fire is out. Fight fire from a protected location.
Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Use personal protective equipment. Keep unauthorized personnel away. Keep upwind. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. See Section 8 of the SDS for Personal Protective Equipment.

Methods and material for containment and cleaning up:

Neutralize spill area and washings with soda ash or lime. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal.

Notification Procedures:

Dike for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. Inform authorities if large amounts are involved.

Environmental Precautions:

Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling:

Use personal protective equipment as required. Avoid contact with eyes, skin, and clothing. Wash hands thoroughly after handling. Avoid inhalation of vapors and spray mists. Do not eat, drink or smoke when using the product. Use caution when adding this material to water. Never add water to acid! Always add acid to water while stirring to prevent release of heat, steam and fumes. See Section 8 of the SDS for Personal Protective Equipment.

Conditions for safe storage, including any incompatibilities:

Do not store in metal containers. Keep containers tightly closed. Store in cool, dry place. Store in a well-ventilated place. Store above 21°C (70°F).

8. Exposure controls/personal protection

Control Parameters
Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
Ammonium fluoride - as F	TWA	2.5 mg/m3	US. ACGIH Threshold Limit Values (2011)
	REL	2.5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	2.5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	2.5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Ammonium fluoride - Dust.	TWA	2.5 mg/m3	US. OSHA Table Z-2 (29 CFR 1910.1000) (02 2006)
Ammonium fluoride - as F	TWA	2.5 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
Ammonium fluoride	AN ESL	Animal 0.71 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL	Vegetation 0.57 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL	Health 8.1 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
Ammonium fluoride - as F	TWA PEL	2.5 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (08 2010)
Ammonium fluoride	ST ESL	Health 17 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (06

			2018)
	ST ESL	Vegetation 2.8 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (06 2018)
Hydrogen fluoride - as F	TWA	0.5 ppm	US. ACGIH Threshold Limit Values (2011)
	Ceiling	2 ppm	US. ACGIH Threshold Limit Values (2011)
	SKIN_DES	Can be absorbed through the skin.	US. ACGIH Threshold Limit Values (2011)
Hydrogen fluoride	REL	3 ppm 2.5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	Ceil_Time	6 ppm 5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
Hydrogen fluoride - as F	PEL	2.5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	3 ppm	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	6 ppm	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Hydrogen fluoride	TWA	3 ppm	US. OSHA Table Z-2 (29 CFR 1910.1000) (02 2006)
Hydrogen fluoride - as F	TWA	3 ppm	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
Hydrogen fluoride	AN ESL	Animal 0.75 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL	Health 8.7 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL	Vegetation 0.6 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL	Vegetation 0.73 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL	Animal 0.92 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL	Health 11 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
Hydrogen fluoride - as F	STEL	1 ppm 0.83 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (02 2012)
	TWA PEL	0.4 ppm 0.33 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (02 2012)
	SKIN_DES	Can be absorbed through the skin.	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (02 2012)
	STEL	6 ppm	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (01 2019)
Hydrogen fluoride	ST ESL	Vegetation 3 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (06 2018)
	ST ESL	Health 22 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (06 2018)
	ST ESL	Vegetation 3.7 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (06 2018)
	ST ESL	Health 18 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (06 2018)

Biological Limit Values

Chemical Identity	Exposure Limit Values	Source
Ammonium fluoride (Fluoride: Sampling time: Prior to shift.)	2 mg/l (Urine)	ACGIH BEI (03 2013)
Ammonium fluoride (Fluoride: Sampling time: End of shift.)	3 mg/l (Urine)	ACGIH BEI (03 2013)
Hydrogen fluoride (Fluoride: Sampling time: Prior to shift.)	2 mg/l (Urine)	ACGIH BEI (03 2013)
Hydrogen fluoride (Fluoride: Sampling time: End of shift.)	3 mg/l (Urine)	ACGIH BEI (03 2013)

Appropriate Engineering Controls No data available.

Individual protection measures, such as personal protective equipment

General information: Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work area.

Eye/face protection: Wear safety glasses with side shields (or goggles) and a face shield.

Skin Protection

Hand Protection: Chemical resistant gloves

Other: Wear suitable protective clothing.

Respiratory Protection: If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Chemical respirator with acid gas cartridge.

Hygiene measures: Provide eyewash station and safety shower. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

9. Physical and chemical properties

Appearance

Physical state: Liquid

Form: Liquid

Color: Colorless

Odor: No data available.

Odor threshold: No data available.

pH: No data available.

Melting point/freezing point: 18 °C

Initial boiling point and boiling range: No data available.

Flash Point: Not applicable

Evaporation rate: As water

Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Vapor pressure:	No data available.
Vapor density:	No data available.
Density:	1.1 g/ml (20 °C)
Relative density:	1.1 (20 °C)
Solubility(ies)	
Solubility in water:	Miscible
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	No data available.

10. Stability and reactivity

Reactivity:	No dangerous reaction known under conditions of normal use.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	Hazardous polymerization does not occur.
Conditions to avoid:	Heat. Water, moisture.
Incompatible Materials:	Strong oxidizing agents. Acids. Bases, alkalies (organic). Ammonia. Strong bases. Sulfuric acid. Organic compounds. Glass. Fluorine. Cyanides. Metals. May attack some plastics, rubber and coatings.
Hazardous Decomposition Products:	Hydrogen fluoride. Nitrogen Oxides

11. Toxicological information

Information on likely routes of exposure

Inhalation:	Fatal if inhaled. May cause damage to mucous membranes in nose, throat, lungs and bronchial system.
Skin Contact:	Fatal in contact with skin. Causes severe skin burns.
Eye contact:	Causes serious eye damage.
Ingestion:	Fatal if swallowed. May cause burns of the gastrointestinal tract if swallowed.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral	
Product:	LD 50 (Rat): 45.45 mg/kg
Dermal	
Product:	LD 50 (Rabbit) 51.73 mg/kg

Inhalation

Product: ATEmix (Rat, 4 h) 0.385 mg/l Dusts, mists and fumes

Repeated dose toxicity

Product: No data available.

Skin Corrosion/Irritation

Product: Causes severe skin burns.

Serious Eye Damage/Eye Irritation

Product: Causes serious eye damage.

Respiratory or Skin Sensitization

Product: Not a skin nor a respiratory sensitizer.

Carcinogenicity

Product: This substance has no evidence of carcinogenic properties.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity
In vitro

Product: No mutagenic components identified

In vivo

Product: No mutagenic components identified

Reproductive toxicity

Product: No components toxic to reproduction

Specific Target Organ Toxicity - Single Exposure

Product: Blood. Cardiovascular system Respiratory system

Specific Target Organ Toxicity - Repeated Exposure

Product: Endocrine system Bones Teeth.

Target Organs

Specific Target Organ Toxicity - Single Exposure: Blood, Cardiovascular system, Respiratory tract irritation.

Specific Target Organ Toxicity - Repeated Exposure: Endocrine system, Bone, Teeth

Aspiration Hazard

Product: Not classified

Other effects:

None known.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: Expected to be readily biodegradable.

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available on bioaccumulation.

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Specified substance(s):

Ammonium fluoride Log Kow: -4.37

Mobility in soil:

The product is water soluble and may spread in water systems.

Other adverse effects:

The product may affect the acidity (pH-factor) in water with risk of harmful effects to aquatic organisms.

13. Disposal considerations

Disposal instructions:

Discharge, treatment, or disposal may be subject to national, state, or local laws.

Contaminated Packaging:

Since emptied containers retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

UN Number:	UN 2922
UN Proper Shipping Name:	Corrosive liquids, toxic, n.o.s.(Hydrofluoric acid, Ammonium Fluoride)
Transport Hazard Class(es)	
Class:	8
Label(s):	8, 6.1
Packing Group:	II
Marine Pollutant:	No
Special precautions for user:	Keep away from acids.

IMDG

UN Number:	UN 2922
UN Proper Shipping Name:	CORROSIVE LIQUID, TOXIC, N.O.S.(HYDROFLUORIC ACID, AMMONIUM FLUORIDE)
Transport Hazard Class(es)	
Class:	8
Label(s):	8, 6.1
EmS No.:	F-A, S-B
Packing Group:	II
Marine Pollutant:	No
Special precautions for user:	Keep away from acids.

IATA

UN Number:	UN 2922
Proper Shipping Name:	Corrosive liquid, toxic, n.o.s.(Hydrofluoric acid, Ammonium Fluoride)
Transport Hazard Class(es):	
Class:	8
Label(s):	8, 6.1
Packing Group:	II
Marine Pollutant:	No
Special precautions for user:	Keep away from acids.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Ammonium fluoride	100 lbs.
Hydrogen fluoride	100 lbs.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

- Corrosive to metal
- Acute toxicity (any route of exposure)
- Skin Corrosion or Irritation
- Serious eye damage or eye irritation
- Specific target organ toxicity (single or repeated exposure)

SARA 302 Extremely Hazardous Substance

<u>Chemical Identity</u>	<u>Reportable quantity</u>	<u>Threshold Planning Quantity</u>
Hydrogen fluoride	100 lbs.	100 lbs.

SARA 304 Emergency Release Notification

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Hydrogen fluoride	100 lbs.

SARA 311/312 Hazardous Chemical

<u>Chemical Identity</u>	<u>Threshold Planning Quantity</u>
Hydrogen fluoride	100 lbs.
Ammonium fluoride	10000 lbs.

SARA 313 (TRI Reporting)

<u>Chemical Identity</u>	<u>Reporting threshold for other users</u>	<u>Reporting threshold for manufacturing and processing</u>
Ammonium fluoride	10000 lbs.	25000 lbs.
Hydrogen fluoride	10000 lbs.	25000 lbs.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Hydrogen fluoride	1000 lbs.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3):

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Ammonium fluoride	Reportable quantity: 100 lbs.
Hydrogen fluoride	Reportable quantity: 100 lbs.

US State Regulations

US. California Proposition 65

No ingredient requiring a warning under CA Prop 65.

US. New Jersey Worker and Community Right-to-Know Act

<u>Chemical Identity</u>
Ammonium fluoride
Hydrogen fluoride

US. Massachusetts RTK - Substance List

<u>Chemical Identity</u>
Ammonium fluoride
Hydrogen fluoride

US. Pennsylvania RTK - Hazardous Substances

<u>Chemical Identity</u>
Ammonium fluoride
Hydrogen fluoride

US. Rhode Island RTK

<u>Chemical Identity</u>
Ammonium fluoride
Hydrogen fluoride

International regulations

Montreal protocol

Not applicable

Stockholm convention

Not applicable

Rotterdam convention

Not applicable

Kyoto protocol


Not applicable

Inventory Status:

Australia AICS:	On or in compliance with the inventory
Canada DSL Inventory List:	On or in compliance with the inventory
China Inv. Existing Chemical Substances:	On or in compliance with the inventory
Japan (ENCS) List:	On or in compliance with the inventory
Japan ISHL Listing:	Not in compliance with the inventory.
Korea Existing Chemicals Inv. (KECI):	On or in compliance with the inventory
Mexico INSQ:	On or in compliance with the inventory
New Zealand Inventory of Chemicals:	On or in compliance with the inventory
Philippines PICCS:	On or in compliance with the inventory
Taiwan Chemical Substance Inventory:	On or in compliance with the inventory
US TSCA Inventory:	On or in compliance with the inventory
EINECS, ELINCS or NLP:	On or in compliance with the inventory

16. Other information, including date of preparation or last revision

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible

Issue Date: 04-21-2020

Revision Information: Not relevant.

Version #: 2.0

Source of information: Sources of information used in preparing this SDS included one or more of the following: results from in house or supplier toxicology studies, information from the Toxicology Data Network (TOXNET), European Chemical Agency (ECHA) substance dossiers, IARC Monographs, US National Toxicology Program data, the Agency for Toxic Substances and Disease Registry, other manufacturer's SDSs and other sources, as appropriate.

Further Information: No data available.

Disclaimer:

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR PERFORMANCE MATERIALS ("AVANTOR") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of Avantor's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR DISCLAIMS LIABILITY FOR, AND BY USING AVANTOR'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL AVANTOR BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.